416 865 7380

P.07

Application No .09/668,482 Amendment dated June 22, 2004 Reply to Action of December 29, 2003

- 3 -

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1 to 82 (previously cancelled)

83. (currently amended) A microsomal preparation eemprising a recombinant protein expressed by of a cell that has been transfected with a nucleic acid molecule encoding the a protein, or of by a descendent cell thereof, wherein said protein oxidizes all-trans retinoic acid at the C4-position of the ß-ionone ring, said nucleic acid molecule comprising a nucleotide sequence that hybridizes under high stringency conditions, wherein high stringency conditions include a wash step of about 0.2 x SSC at 65°C 50°C, to a polynucleotide having a nucleotide sequence selected from the group of sequences shown as: SEQ ID NO:3; SEQ ID NO:5; and SEQ ID NO:31; and wherein the microsomal preparation is substantially free of other proteins that are cytochromes expressed by epidermal cells, said microsomal preparation comprising said protein.

Claims 84 to 89 (previously cancelled)

90. (currently amended) A microsomal preparation comprising a recombinant protein expressed by of a cell that has been transfected with a nucleic acid molecule encoding the a protein, or of by a descendent cell thereof, wherein said protein hydroxylates alltrans retinoic acid at the C4-position of the ß-ionone ring, said nucleic acid molecule comprising a nucleotide sequence that hybridizes under high stringency conditions, wherein high stringency conditions include a wash step of about 0.2 x SSC at 65°C 50°C, to a nucleic acid molecule having a nucleotide sequence selected from the group of sequences shown as: SEQ ID NO:3; SEQ ID NO:5; and SEQ ID NO:31; and wherein the microsomal preparation is substantially free of other proteins that are cytochromes expressed by epidermal cells, said microsomal preparation comprising said protein.

Application No.09/668,482 Amendment dated June 22, 2004 Reply to Action of December 29, 2003

-4-

Claims 91 to 112 (previously cancelled)

Claims 113 to 117 (cancelled)

118. (currently amended) The preparation of claim <u>83</u> 113, wherein the protein comprises the amino acid sequence identified as SEQ ID NO:2.

Claims 119 to 128 (cancelled)

129. (currently amended) The preparation of claim <u>83</u> 128, wherein the nucleic acid molecule encodes an amino acid sequence that is at least 95 percent conserved with respect to SEQ ID NO:2, SEQ ID NO:4, or SEQ ID NO:32.

130. (currently amended) The preparation of claim 83, wherein the protein <u>additionally</u> hydroxylates the C18-position of all-*trans* retinoic acid.

Claims 131 to 139 (cancelled)

- 140. (currently amended) The preparation of claim <u>90</u> 139, wherein the nucleic acid molecule encodes an amino acid sequence that is at least 95 percent conserved with respect to SEQ ID NO:2, SEQ ID NO:4, or SEQ ID NO:32.
- 141. (currently amended) The preparation of claim 90, wherein the protein <u>additionally</u> hydroxylates the C18-position of all-trans retinoic acid.
- 142. (currently amended) A microsomal preparation comprising a recombinant protein expressed by of a cell that has been transfected with a nucleic acid molecule encoding the <u>a</u> protein, or <u>of</u> by a descendent cell thereof, wherein said protein oxidizes all-trans retinoic acid at the C4-position of the ß-ionone ring, said nucleic acid molecule encoding an amino acid sequence that is at least 69 95 percent conserved with respect to SEQ ID NO:2, SEQ ID NO:4, or SEQ ID NO:32, and wherein the microsomal preparation is substantially free of other proteins that are cytochromes expressed by epidermal cells, said microsomal preparation comprising said protein.

Application No .09/668,482 Amendment dated June 22, 2004 Reply to Action of December 29, 2003

- 5 -

Claims 143 to 148 (cancelled)

149. (currently amended) The preparation of claim 142, wherein the protein <u>additionally</u> hydroxylates the C18-position of all-*trans* retinoic acid.

150. (currently amended) A microsomal preparation comprising a recombinant protein expressed-by of a cell that has been transfected with a nucleic acid molecule encoding the a protein, or of by a descendent cell thereof, wherein said protein hydroxylates all-trans retinoic acid at the C4-position of the ß-ionone ring, said nucleic acid molecule encoding an amino acid sequence that is at least 60 95 percent conserved with respect to SEQ ID NO:2, SEQ ID NO:4, or SEQ ID NO:32, and wherein the microsomal preparation is substantially free of other proteins that are cytochromes expressed by epidermal cells, said microsomal preparation comprising said protein.

Claims 151 to 156 (cancelled)

157. (currently amended) The preparation of claim 150, wherein the protein <u>additionally</u> hydroxylates the C18-position of all-*trans* retinoic acid.

Claims 158 to 161 (cancelled)